

State of Louisiana
Department of Transportation and Development

Qualified Products List 78

**ZINC PAINT SYSTEMS FOR NEW STRUCTURAL STEEL
AND 100% BARE EXISTING STRUCTURAL STEEL**

PRODUCT SOURCE CODE	PRODUCT	Slip Coef Class	Recom'd DFT mils	VOC lb/gal g/L		SOURCE
System A - Three Coat Paint System With Inorganic Zinc Primer						
Inorganic Zinc - Epoxy - Urethane						
7801	Carbozinc 11 HS Primer	B	2 - 3	2.4	288	Carboline 350 Hanley Industrial Court St. Louis, MO 63144
	Carboquard 893 Epoxy Intermediate		4 - 6	1.6	195	
	Carbothane 133 HB Urethane T.C.		3 - 5	3.2	383	
System B - Three Coat Paint System With Organic Zinc Primer						
Organic Zinc - Epoxy - Urethane						
7802	Carbozinc 859 Epoxy Primer	B	3 - 5	2.7	326	Carboline 350 Hanley Industrial Court St. Louis, MO 63144
	Carboguard 888 Epoxy Intermediate		3 - 5	2.7	330	
	Carbothane 133 HB Urethane T.C.		3 - 5	3.2	383	
7803	Zinc Clad III Epoxy Primer	B	3 - 5	2.8	336	Sherwin Williams Paint Company 6795 South Main Street Morrow, GA 30260
	Macropoxy 646 Epoxy Intermediate		5 -10	2.0	235	
	Acrolon 218 HS Urethane T.C.		3 - 5	2.4	287	

REFERENCE:

DOTD Special Provisions, Subsection 811, Painting and Protective Coatings
DOTD Special Provisions, Subsection 1008

NOTE:

All material, regardless of prior approval, shall be sampled in accordance with the Materials Sampling Manual and tested for conformance to the original specification. Any deviation in composition or performance from the original sample submitted may result in removal of the product from the qualified list.

No information contained in this list is to be used for promotional purposes.